



Haulotte HTL 3010 (Outriggers)

Equipment Type	Telehandlers
Manufacturer	Haulotte
GTH Rating	★★★★★
Document Creation	3rd of December 2014



Summary

Haulotte HTL 3010 telehandler (with outriggers) for hire, maximum rated capacity (MRC) of 3000 kg with a maximum lift height of 10 m and an MRC of 2500 kg at this height.

Description

Haulotte telescopic handler available for hire providing a maximum forward reach of 7.2 metres with a maximum rated capacity of 1000 kg at this reach. The Haulotte HTL 3010 telehandler (with outriggers) has an overall length of 4.96 metres stowed, a width of 2.26 metres and a height of 2.42 metres, weighing in at 8920 kg. It features a hydrostatic transmission with a maximum speed of 36 kph, constant 4WD with three steering modes and features a 70 kw Perkins engine. Haulotte telehandlers are manufactured in Italy and suit the Agriculture, Construction, Defence, Events, Landscaping, Materials Handling, Mining, Oil & Gas, Recycling, Solar Power, Transportation industries. Haulotte telescopic handlers come with a 2 year factory warranty.

GTH Equipment has the largest and most comprehensive telehandler fleet in Sydney, NSW. All our equipment is extensively maintained and rental ready to the highest standards. Our pro-active safety systems for our fleet ensures GTH Equipment and the customers comply with current WHS regulations making it easy for the operators to complete their WHS requirements.





Haulotte HTL 3010 (Outriggers)

Specifications

Product Details

Manufacturer	Haulotte
Model	HTL 3010 (With Outriggers)
Model Series	01
Industrial Application	Agriculture, Construction, Defence, Events, Landscaping, Materials Handling, Mining, Oil & Gas, Recycling, Solar Power, Transportation
Power Source	Diesel
Warranty	2 Year Factory Warranty
Country of Manufacture	Italy

Operating Limits

Maximum Rated Capacity (kg)	3000
Maximum Lift Height at Forks (m)	10.0
Rated Capacity at Maximum Lift Height (kg)	2500
Forward Reach at Maximum Lift Height (m)	1.80
Maximum Forward Reach (m)	7.20
Rated Capacity at Maximum Forward Reach (kg)	1000
Fork Tilt Upper (deg)	18
Fork Tilt Lower (deg)	104
Wind Speed Rating (km/h)	36

Operating Environments

Frame Levelling +/- (deg)	10
Pick and Carry (Travelling) Maximum Side Slope (deg)	5
Pick and Carry (Travelling) Maximum Decline Slope (deg)	10
Pick and Carry (Travelling) Maximum Incline Slope (deg)	14

Lifting (Stationary) Maximum Side Slope (deg) 3

Lifting (Stationary) Maximum Decline Slope (deg) 3

Lifting (Stationary) Maximum Incline Slope (deg) 5

Dimensions

Height Stowed (m)	2.42
Width Stowed (m)	2.26
Track (m)	1.88
Cabin Width (m)	0.96
Wheelbase Axle to Axle (m)	2.78
Length from Rear to Front of Carriage (m)	4.96
Outside Turning Radius (m)	3.70
Ground Clearance (m)	0.42
Obstruction Angle (deg)	30

Weights

Unit Weight (kg) 8920

Safety Features

Maximum Load Capacity Limiter	Yes
Load Moment Indicator (LMI)	Yes
Load Management System (LMS)	Yes
Adaptive Load Control to EN15000	No
Reverse Camera	Yes
ROPS Certified Cabin	Yes
FOPS Certified Cabin	Yes
Front Windscreen Protection Guard	Yes
Rotating Beacon	Yes
Horn	Yes
Alarm Reverse Warning	Yes

Product specifications are subject to change without notice or obligation. The photographs and/or drawings in this document are for illustrative purposes only. Refer to the appropriate manufacturers operator's manual for instructions on the proper use of this equipment. Failure to follow the appropriate Operator's manual when using the equipment or to otherwise act irresponsibly may result in serious injury or death. This equipment is covered under the manufacturer's standard written factory warranty conditions. No other warranties are expressed or implied. Copyright © 2014 GTH Equipment.



Haulotte HTL 3010 (Outriggers)

Specifications

Standard Features

Factory Air Conditioning	Yes
Proportional Joystick	Yes
Mirror Left Side	Yes
Mirror Right Side	Yes
Roof Window Wiper	No
Auxiliary Quick Release Connectors at Boom Head	Yes
Cabin Heater	Yes
Quick Release Carriage Adaptor	Yes
Steering System Automatic Self Alignment	Yes

Optional Extras

Exterior Work Lights	Yes
Work Platform Compatible	Yes
Level 1 Mine Spec	Yes
Level 2 Mine Spec	Yes
Construction Pack	Yes
Conditional Registration	Yes

Fluid Capacities

Diesel (LTRS)	120
Hydraulic Oil (LTRS)	103

Drive Components

Engine Manufacturer	Perkins
Engine Power (kw)	70
Drive Type	4 Wheel Drive
Transmission Type	Hydrostatic
Steering Type	Hydraulic
Steering Modes	3 Steering Modes (Front Wheel, All-Wheel and Crab Steer)
Parking Brake	Electronic

Tyres

Tyre Types	Pneumatic
Tyre Sizes (mm)	405/70-24

Lighting and Electrical

Electrical Circuit (V)	12
Full Road Lighting and Blinker Kit	Yes
Manual Battery Isolater	Yes

Maintenance Documentation (Manufacturer Supplied)

Manual supplied for Operators (PDF)	Yes
Manual supplied for Spare Parts (PDF)	Yes
Manual supplied for Service/Workshop (PDF)	Yes
Schematic Diagram for Electrical System (PDF)	Yes
Schematic Diagram for Hydraulic System (PDF)	Yes
Preventative Maintenance Schedule Supplied	Yes
Preventative Maintenance Schedule Supplied with Cost Forecast	No
Plant Risk Assessment Model Specific (PDF)	Yes
Service Bulletins and Upgrades available	No
Service Bulletins and Upgrades available online	No

Third Party Compliance Documentation (Manufacturer Supplied)

Declaration of Conformity for all attachments to AS 1418-19.	No
--	----

Product specifications are subject to change without notice or obligation. The photographs and/or drawings in this document are for illustrative purposes only. Refer to the appropriate manufacturers operator's manual for instructions on the proper use of this equipment. Failure to follow the appropriate Operator's manual when using the equipment or to otherwise act irresponsibly may result in serious injury or death. This equipment is covered under the manufacturer's standard written factory warranty conditions. No other warranties are expressed or implied. Copyright © 2014 GTH Equipment.

Haulotte HTL 3010 (Outriggers)



Specifications

Stability Test Results for all attachments to AS 1418-19 No

Compliant Attachments to AS 1418-19 10

Product specifications are subject to change without notice or obligation. The photographs and/or drawings in this document are for illustrative purposes only. Refer to the appropriate manufacturers operator's manual for instructions on the proper use of this equipment. Failure to follow the appropriate Operator's manual when using the equipment or to otherwise act irresponsibly may result in serious injury or death. This equipment is covered under the manufacturer's standard written factory warranty conditions. No other warranties are expressed or implied. Copyright © 2014 GTH Equipment.



