

# Haulotte HTL 3010 (Frame Levelling)



|                          |                      |
|--------------------------|----------------------|
| <b>Equipment Type</b>    | Telehandlers         |
| <b>Manufacturer</b>      | Haulotte             |
| <b>GTH Rating</b>        | ★★★★★                |
| <b>Document Creation</b> | 3rd of December 2014 |



## Summary

Haulotte HTL 3010 telehandler (with frame levelling) for hire offering a maximum rated capacity (MRC) of 3500 kg with a maximum lift height of 10 m and an MRC of 500 kg at this height.

## Description

Haulotte telescopic handler available for hire providing a maximum forward reach of 7.2 metres with a maximum rated capacity of 500 kg at this reach. The Haulotte HTL 3010 telehandler (with frame levelling) has an overall length of 4.96 metres stowed, a width of 2.26 metres and a height of 2.42 metres, weighing in at 8570 kg. It features a hydrostatic transmission with a maximum speed of 35 kph, constant 4WD with three steering modes and features a 70 kw engine. Haulotte telehandlers are manufactured in Italy and suit the Agriculture, Construction, Defence, Events, Landscaping, Materials Handling, Mining, Recycling, Transportation industries. Haulotte telescopic handlers come with a 2 year factory warranty.

GTH Equipment has the largest and most comprehensive telehandler fleet in Sydney, NSW. All our equipment is extensively maintained and rental ready to the highest standards. Our pro-active safety systems for our fleet ensures GTH Equipment and the customers comply with current WHS regulations making it easy for the operators to complete their WHS requirements.



# Haulotte HTL 3010 (Frame Levelling)

## Specifications

### Product Details

|                               |  |
|-------------------------------|--|
| <b>Manufacturer</b>           | Haulotte   |
| <b>Model</b>                  | HTL 3510   |
| <b>Model Series</b>           | 01   |
| <b>Industrial Application</b> | Agriculture,<br>Construction,<br>Defence, Events,<br>Landscaping,<br>Materials Handling,<br>Mining, Recycling,<br>Transportation |
| <b>Power Source</b>           | Diesel   |
| <b>Warranty</b>               | 2 Year Factory<br>Warranty   |
| <b>Country of Manufacture</b> | Italy  |

### Operating Limits

|   |      |
|---|------|
| <b>Maximum Rated Capacity (kg)</b>                  | 3500 |
| <b>Maximum Lift Height at Forks (m)</b>             | 10.0 |
| <b>Rated Capacity at Maximum Lift Height (kg)</b>   | 2000 |
| <b>Forward Reach at Maximum Lift Height (m)</b>     | 2.20 |
| <b>Maximum Forward Reach (m)</b>                    | 7.20 |
| <b>Rated Capacity at Maximum Forward Reach (kg)</b> | 500  |
| <b>Fork Tilt Upper (deg)</b>                        | 18   |
| <b>Fork Tilt Lower (deg)</b>                        | 104  |
| <b>Wind Speed Rating (km/h)</b>                     | 36   |

### Operating Environments

|  |    |
|--|----|
| <b>Frame Levelling +/- (deg)</b>                               | 10 |
| <b>Pick and Carry (Travelling) Maximum Side Slope (deg)</b>    | 5  |
| <b>Pick and Carry (Travelling) Maximum Decline Slope (deg)</b> | 10 |
| <b>Pick and Carry (Travelling) Maximum Incline Slope (deg)</b> | 14 |
| <b>Lifting (Stationary) Maximum Side Slope (deg)</b>           | 3  |

**Lifting (Stationary) Maximum Decline Slope (deg)** 3

**Lifting (Stationary) Maximum Incline Slope (deg)** 5

### Dimensions

|  |      |
|--|------|
| <b>Height Stowed (m)</b>                         | 2.42 |
| <b>Width Stowed (m)</b>                          | 2.26 |
| <b>Track (m)</b>                                 | 1.88 |
| <b>Cabin Width (m)</b>                           | 0.96 |
| <b>Wheelbase Axle to Axle (m)</b>                | 2.78 |
| <b>Length from Rear to Front of Carriage (m)</b> | 4.96 |
| <b>Outside Turning Radius (m)</b>                | 3.7  |
| <b>Ground Clearance (m)</b>                      | 0.42 |
| <b>Obstruction Angle (deg)</b>                   | 30   |

### Weights

**Unit Weight (kg)** 8570

### Safety Features

|  |     |
|--|-----|
| <b>Maximum Load Capacity Limiter</b>     | Yes |
| <b>Load Moment Indicator (LMI)</b>       | Yes |
| <b>Load Management System (LMS)</b>      | Yes |
| <b>Adaptive Load Control to EN15000</b>  | No  |
| <b>Reverse Camera</b>                    | Yes |
| <b>ROPS Certified Cabin</b>              | Yes |
| <b>FOPS Certified Cabin</b>              | Yes |
| <b>Front Windscreen Protection Guard</b> | Yes |
| <b>Rotating Beacon</b>                   | Yes |
| <b>Horn</b>                              | Yes |
| <b>Alarm Reverse Warning</b>             | Yes |

Product specifications are subject to change without notice or obligation. The photographs and/or drawings in this document are for illustrative purposes only. Refer to the appropriate manufacturers operator's manual for instructions on the proper use of this equipment. Failure to follow the appropriate Operator's manual when using the equipment or to otherwise act irresponsibly may result in serious injury or death. This equipment is covered under the manufacturer's standard written factory warranty conditions. No other warranties are expressed or implied. Copyright © 2014 GTH Equipment.



# Haulotte HTL 3010 (Frame Levelling)

## Specifications

### Standard Features

|   |     |
|---|-----|
| Factory Air Conditioning                        | Yes |
| Proportional Joystick                           | Yes |
| Mirror Left Side                                | Yes |
| Mirror Right Side                               | Yes |
| Roof Window Wiper                               | No  |
| Auxiliary Quick Release Connectors at Boom Head | Yes |
| Cabin Heater                                    | Yes |
| Quick Release Carriage Adaptor                  | Yes |
| Steering System Automatic Self Alignment        | Yes |

### Optional Extras

|                                 |     |
|---------------------------------|-----|
| Exterior Work Lights            | Yes |
| Work Platform Compatible        | No  |
| Hydraulic Winch Pre-Arrangement | No  |
| Level 1 Mine Spec               | Yes |
| Level 2 Mine Spec               | Yes |
| Construction Pack               | Yes |
| Conditional Registration        | Yes |

### Fluid Capacities

|                      |     |
|----------------------|-----|
| Diesel (LTRS)        | 120 |
| Hydraulic Oil (LTRS) | 103 |

### Drive Components

|                     |   |
|---------------------|---|
| Engine Manufacturer | Perkins   |
| Engine Power (kw)   | 70  |
| Drive Type          | 4 Wheel Drive   |
| Transmission Type   | Hydrostatic   |
| Steering Type       | Hydraulic   |
| Steering Modes      | 3 Steering Modes<br>(Front Wheel,<br>All-Wheel and Crab<br>Steer) |
| Parking Brake       | Electronic  |

### Tyres

|                 |           |
|-----------------|-----------|
| Tyre Types      | Pneumatic |
| Tyre Sizes (mm) | 405/70-24 |

### Lighting and Electrical

|                                    |     |
|------------------------------------|-----|
| Electrical Circuit (V)             | 12  |
| Full Road Lighting and Blinker Kit | Yes |
| Manual Battery Isolater            | Yes |

### Maintenance Documentation (Manufacturer Supplied)

|   |     |
|---|-----|
| Manual supplied for Operators (PDF)                           | Yes |
| Manual supplied for Spare Parts (PDF)                         | Yes |
| Manual supplied for Service/Workshop (PDF)                    | Yes |
| Schematic Diagram for Electrical System (PDF)                 | Yes |
| Schematic Diagram for Hydraulic System (PDF)                  | Yes |
| Preventative Maintenance Schedule Supplied                    | Yes |
| Preventative Maintenance Schedule Supplied with Cost Forecast | No  |
| Plant Risk Assessment Model Specific (PDF)                    | Yes |
| Service Bulletins and Upgrades available                      | No  |
| Service Bulletins and Upgrades available online               | No  |

### Third Party Compliance Documentation (Manufacturer Supplied)

|  |     |
|--|-----|
| Declaration of Conformity for all attachments to AS 1418-19. | Yes |
|--|-----|

Product specifications are subject to change without notice or obligation. The photographs and/or drawings in this document are for illustrative purposes only. Refer to the appropriate manufacturers operator's manual for instructions on the proper use of this equipment. Failure to follow the appropriate Operator's manual when using the equipment or to otherwise act irresponsibly may result in serious injury or death. This equipment is covered under the manufacturer's standard written factory warranty conditions. No other warranties are expressed or implied. Copyright © 2014 GTH Equipment.

# Haulotte HTL 3010 (Frame Levelling)



## Specifications

|   |    |
|---|----|
| <b>Stability Test Results for all attachments to AS 1418-19</b>       | No |
| <b>Declaration of Conformity for ROPS Compliance to ISO3471</b>       | No |
| <b>Declaration of Conformity for FOPS Compliance to ISO3449</b>       | No |
| <b>Declaration of Conformity to Low Engine Emissions EU Directive</b> | No |
| <b>Noise Emissions Report</b>   | No |

Product specifications are subject to change without notice or obligation. The photographs and/or drawings in this document are for illustrative purposes only. Refer to the appropriate manufacturers operator's manual for instructions on the proper use of this equipment. Failure to follow the appropriate Operator's manual when using the equipment or to otherwise act irresponsibly may result in serious injury or death. This equipment is covered under the manufacturer's standard written factory warranty conditions. No other warranties are expressed or implied. Copyright © 2014 GTH Equipment.